Lucas, Mark

From:

Gilman II, Charles (ECY) [CHGI461@ECY.WA.GOV]

Sent:

Tuesday, October 02, 2007 9:22 AM

To:

Lucas, Mark

Cc: King, Roberta

Subject: RE: stormwater discharge permit question

Mark,

That being the case, per permit condition S1.B.2 (page 6 of the permit), coverage is not required for "industrial facilities which discharge their stormwater only to a municipal combined sewer or sanitary sewer. Discharge of stormwater to sanitary or combined sewers shall only occur as authorized by the municipal authority responsible for that sewer."

-Charles

From: Lucas, Mark [mailto:Mark.Lucas@METROKC.GOV]

Sent: Monday, October 01, 2007 3:44 PM

To: Gilman II, Charles (ECY)

Cc: King, Roberta

Subject: RE: stormwater discharge permit question

Charles,

Thanks for reviewing this old file. Drains associated with both the maintenance and washing activities are in locations that drain directly to the sanitary sewers.

Mark

From: Gilman II, Charles (ECY) [mailto:CHGI461@ECY.WA.GOV]

Sent: Monday, October 01, 2007 3:25 PM

To: Lucas, Mark Cc: King, Roberta

Subject: RE: stormwater discharge permit question

Mark

I just took a quick peek at the app and I had just a few comments/notes: for that SIC code, only the vehicle maint or equipment cleaning operations require permit coverage, are either of these activities at this site that have the potential to drain someplace other than the sanitary/combined sewer? Also, if a permit were required; the public notice is also required.

At any rate, I'll look into out files to see if I can dig up anything. It may be as you suggest, covered under a larger permit. I'll ask around about that as well.

-Charles

From: Lucas, Mark [mailto:Mark.Lucas@METROKC.GOV]

Sent: Monday, October 01, 2007 1:53 PM

To: Gilman II, Charles (ECY) **Cc:** Roberta.King@kingcounty.GOV

Subject: stormwater discharge permit question

Charles,

Attached is the application we discussed on the phone today that was received back from DOE in 2003. The address of the site is 6640 Ellis Ave in Seattle. The site is at the King County Airport and also owned by King County, so maybe it is part of the airports larger permit and that is why there was no further action by

3/19/2008

DOE. Can you update me on the status of this location? The mailing address of Great Western has also changed since this application to the following;

Great Western Soil Conditioners P.O. Box 400 Mount Vernon, Washington 98273

The land is leased to another division within the county for the purpose of staging some trucks. The building/shop at this location is used for maintenance and has floor drains that are discharged directly to the sanitary sewer.

Thanks for your help, Mark

King County

Wastewater Treatment Division Department of Natural Resources Attention: Mark Lucas (Project Manager) M.S. KSC-NR-0512 201 S. Jackson Street Scattle, WA 98104-3855

Mark.Lucas@metrokc.gov Phone / Cell: Fax number:

206-684-1248 / 206-930-7554 206-684-2057

3/19/2008